



Mimi

20020412 10148-1020

#30360

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:
Armstrong

Serial No.: 10/042,998

Filed: 01/09/02

For: **Multiple Band Ligator and Anoscope
System and Method for Using Same**

) Docket: 10148-1020

)

) Examiner:

)

) Art Unit: 3739

)

)

)

)


SUBMISSION OF FORMAL DRAWINGS

Honorable Commissioner of Patents
and Trademarks
Washington, D.C. 20231

Sir:


In response to the Notice to File Corrected Application Papers dated February 6, 2002,
Applicant hereby submits formal drawings for entry in the above identified application. Please
substitute the enclosed formal drawings for the drawings originally filed with the application. The
formal drawings contain no new matter.

Respectfully submitted,


George M. Thomas
Reg. No. 22,260

THOMAS, KAYDEN, HORSTEMEYER & RISLEY
Suite 1750
100 Galleria Parkway, N.W.
Atlanta, GA 30339-5948
770/933-9500

I hereby certify that this correspondence is being deposited with
the United States Postal Service as first class mail in an envelope
addressed to: Commissioner of Patents and Trademarks,
Washington, D.C. 20231, on April 4, 2002.


Signature



24504

PATENT TRADEMARK OFFICE



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/042,998	01/09/2002	David N. Armstrong	010148-1020

24504
THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP
100 GALLERIA PARKWAY, NW
STE 1750
ATLANTA, GA 30339-5948

CONFIRMATION NO. 6172

FORMALITIES LETTER



OC000000007427198

Date Mailed: 02/06/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS


Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*


Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

THOMAS, KAYDEN
HORSTEMEYER & RISLEY, LLP

FEB 18 2002